

M/S ASGAR TRADING

CORE BUSINESS :

Authorized Distributor & Stockiest of Steel Pipes, Valves, Pipes-Fittings, Industrial Hardware & Machinery Tools, Accessories, Fire-Fighting Equipments. and Sanitary Goods.

A) Steel Pipes (Hyundai Steel, Seah Steel, South Korea, National Tubes - BD, Nezone-India, Xingpeng - China)

B) Valves (Zetkama, Poland, KSB, Germany, FVC, Tomoe-Japan, DKTMI-Korea,)

C) Steam Boilers Items -Pressure Reducing Valves, Trapping (Forbes-Marshall, -India, Spirax-UK, Sporex-UK Yooyoun - South Korea,)

D) Gas Filter, Regulator, (Madas-Italy, Fisher-USA)

COMPANY VISION :

We believe in commitment & Quality, Asgar Trading's mission is innovative dynamic development of industries sectors to saving energy and costing in Bangladesh by providing best and quality products and technology with the best affordable cost .And Building up ourselves as a world class Company with the all the facilities and technology in the field of Electro -mechanical & Steam Engineering, Steel Pipes, Valves through continuous improvement and development in Technology, Quality, and timely delivery and services.

Authorised Distributors of :



PRODUCTS :

Steam Utilities

Cs Seamless Pipe, M.s Pipes, M.s Fittings, Butt Welded Fittings, Steam Bellow seal Valve, Strainers, Pressure Reducing Valves, Steam Traps, Safety Valves, Non-Return Valves., Other Equipments

Gas Utilities:

Ms Pipes, Ball Valve, Collar Flange, Wrapping Tape, Regulator, Ms Tee, Reducer, Pressure Gauge Etc.

Water Utilities :

SS Pipes, G.i Pipes, G.i Fittings, Gate Valves, Butterfly Valves, Ball Valves Water Pumps, other Equipments,

Process Utilities :

Pumps, Valves, Measuring Equipments, Automation, Rotation Technology, Pipes, Fittings

Pneumatic Utilies

Filter Regulator, Solenoid Valves,, Flow control Valve, Pressure Gauge, Tubes & Fittings, Actuator Sensor, Process Valves, Industrial Filter etc.





无缝钢管/Seamless Steel Pipe

1. 标准及规格/Standard & Specification

标准/Standard: API 5L, API 5CT, ASTM A106, ASTM A53, GB/T8162, GB/T8163, GB/T5310, GB/T3087, GB18248

钢级/Steel Grade: GrA, GrB, X42-X72, Q345B, ST37, ST37.2, 10#, 20#, J55, K55, N80, L80, T95, C95, P110, Q125



Available Sizes : 1/2" To 28"
(Ready Stock) And Till 48"
As per Order

Production plant of Seamless
pipe (Our Supplier Factory
China)



Carbon Steel
Seamless Pipe



Available Sizes: 1/2" To 28" (Ready Stock) And Till 48" As Per Order





No Compromise on Quality. We believe in Quality, so, We make sure Quality of every piece of our goods, Pressure capability, Temperature, Thickness and Actual Weight We do Business on Actual weight not Theoretical Weight.. We don't be cheated, and also don't do with our Customer's.



Available Sizes: 1/2" To 28" (Ready Stock) And Till 48" As Per Order

Carbon Steel
Seamless Pipe



Picture of our Warehouse goods



M/S Asgar Trading




 www.asgartrading.com

3

Carbon Steel
Seamless Pipe



Available Sizes: 1/2" To 28" (Ready Stock) And Till As Per Order



Carbon Steel
Seamless Pipe



Available Sizes: 1/2" To 28" (Ready Stock) And Till 48" As Per Order



Our Supplier Factory Make Goods by Maintaining All kinds of International Standard and Certificates.





현대제철 HYUNDAI STEEL

API


Specification	API 5L (PSL I / PSL II)										API 5CT			
A25	A	B	X42	X46	X52	X56	X60	X65	X70	X80	H40	J55	K55	N80
Classification	Class 1													

Ready Stock Sizes: 1/2" to 28" As per Order till 48"



PRODUCTION PROCESS


Electric Resistance welded pipes



Roll bending pipes



Spiral pipes



SeAH Steel

Ready Stock Sizes: 1/2" to 28" As per Order till 48"



Stainless Steel Seamless Pipe. Stainless Steel ERW Pipe
Grade : 304, 316, 316L, Standard: ASTM, API, JIS, GB




Galvanized Pipe (G.I Pipe) Hot Deep Glvanized Pipe

Seamless & Erw G.I (Galvanized) Pipe Brand & Origin: Bashundhora, Hatim,
II Tubes Union, Also Imported G.I Pipes of International Standard
Origin : China, India

Standard & Specification :

Standard : API 5L, ASTM

Available sizes in Stock: 1/2" To 16" (15mm to 600mm) We also can supply up to 32" (800mm)
according to our Customer's demand & Order.



Carbon Steel, Mild Steel, Black, Seamless Elbow, Tee Reducer, Socket, Union, Joint (Thread type, Welded type) (sch-40) Origin China, Korea.

Available Sizes in Stock : 1/2" To 24" (15mm to 600mm)



Hot-Deep Galvanized Malleable Iron Pipe Fittings



G.I & M.S BRANDED PIPE FITTINGS ELBOW, REDUCER, SOCKET, REDUCING SOCKET TEE, REDUCING TEE, ADAPTER, UNION

Origin China

Available sizes in Stock : 1/2" To 4" (15mm to 100mm)

Hot-Deep Galvanized Malleable Iron Pipe Fittings (PRESSURE CAPACITY: 25BAR) 375 PSI



G.I Elbow 90°



G.I Equal Tee



Union Conical Joing
Brass to Iron Seat



G.I Socket



G.I Hexagone Equal Nipple



G.I Reducing Elbow



G.I Reducing Tee



G.I Reducing Socket



Long Adapter M/F

Black Malleable Iron Pipe Fittings



Black Elbow 90°



Black Black Equal Tee



Union (Brass to iron seat) Black Reducing Tee



Black Reducing Socket

检验报告

MILL'S TEST CERTIFICATE

Galvanized / Black Malleable Iron Pipe Fittings Standard Specifications

Standard	American Class 150	British	European
Dimension	ANSI/ASME B16.3 ANSI/ASME B 16.14 ANSI/ASME B16.36	KS8 1531	EN10242
Threads	ANSI/ASME B1.20.1	BS 21 BS2 779	ISO 7-1 ISO228-1
Material	ASTM A-197	BS EN 1562	EN1562
Zinc Coating	ASTM A-153	BS 143 & 1256	EN10242
Finish/Process	Hot-dip	Hot-dip	Hot-dip

Mechanical Properties of Blackheart Malleable Cast Iron (Grade B)

Tensile Strength(min)	500N/mm ²
Elongations(min)	6%
Hardness(Max)	150 HB
Malleability(Min)	10% up to 2", 5% above 2"


Chemical Properties of Black Malleable Cast Iron (Grade B)

C%	Mn%	Si%	P%	S%
2.60-2.80	0.30-0.40	1.30-1.60	<0.12	<0.10

Stainless Steel Pipe Fittings (Elbow, Tee, Reducer, Socket, Union, Reducing Elbow, Reducing Tee, Reducing Socket)

Standard: ASTM, API, JIS, EU, Grade: 304, 316

Origin: China, Korea, Taiwan.





BOA[®]-H – Maintenance-free Bellows-type Globe Valves

Industry Water Waste Water Energy Building Services Mining

Applications:

- Hot water heating systems
- High-temperature hot water heating systems
- Heat transfer systems
- Pressure vessel equipment
- Steam boiler systems
- Other fluids on request.

The limits given in the technical codes must be complied with. Please contact us for details.

Further information:
www.ksb.com/products

BOA[®]-R

**BOA[®]-H
EN-GJL-250**

**Automated
Pneumatic Acuator Control Globe valve**

BOA[®]-H Mat P

**PN 16/25
DN 20-150**



M/S Asgar Trading

www.asgartrading.com

13

FIRE PROTECTION PRODUCTS

Regulating Systems



FIRE PROTECTION PRODUCTS

**Regulating
Systems**



Keep up with " ZETKAMA for innovative and Dynamic Development of your Company"

Product Range :

Stop Valves, Bellow Valves, Check Valves, Strainers, Butterfly Valves, Ball Valves, Backflow preventers, Rubber Expansion joints, gate Valves, Castings, Safety Valves, Liquid level gauges Bolts, nuts, Washers, Rivets.

The Engineering, Specifications and integration of industrial automation service, maintenance and upgrade of natural gas distribution equipment, natural gas leaks detection in high pressure equipment, sales and maintenance of material handing equipment.



Zetkama offers more than 2,000 Products selling to over 50 countries worldwide, mainly to EU Countries.



Zetkama offers more than 2,000 Products selling to over 50 countries worldwide, mainly to EU Countries.

STOP VALVES

zGLO



figure 201



figure 216



figure 217



figure 215

BELLOW VALVES

zBEL

figure 234



figure 235



figure 237



CONTROL VALVES

zCON



figure 234
flanged
straight



figure 236
flanged
straight



Zetkama offers more than 2,000 Products selling to over 50 countries worldwide, mainly to EU Countries.

CHECK VALVES

zCHE



figure 275



figure 302



figure 400



figure 407

BOTTOM VALVES

zBOT



figure 935

STRAINERS

zSTRA



figure 821



figure 823

Zetkama offers more than 2,000 Products selling to over 50 countries worldwide, mainly to EU Countries.

BACKFLOW PREVENTERS

zBAT



figure 405




figure 406

BALANCING VALVES

zSTA



figure 221



figure 447

BUTTERFLY VALVES

zBUT



figure 495



figure 496



figure 499

FLOAT VALVES

zFLO



figure 272



figure 274

AIR RELEASE VALVES

zAIR



figure 917



figure 918

RUBBER EXPANSION JOINTS

zJOI



figure 700



figure 701

Zetkama offers more than 2,000 Products selling to over 50 countries worldwide, mainly to EU Countries.

GATE VALVES

zGAT



figure 111
side view
Detailed analysis



figure 116



figure 120



figure 019

SAFETY VALVES

ARMAK



figure 630



figure 775

LIQUID LEVEL GAUGES

zGAU



figure 716



figure 720



T550

SBS 4000 ST





Forbes Marshall in the Process Industry

Your "Trusted partner in Steam Engineering & Energy Conservation solutions"

High Performance, Maximum Savings

Gas / Oil Fired Boilers



- Truly packaged type, skid mounted unit
- High thermal efficiency
- Compact design
- 500 kgs/hr to 16000 kgs/hr




Modular Boiler Design

- 20% more compact
- 15% price deduction on site job
- Erection time reduced by 80%

Engineered solutions for your specific needs

Pressure and Temperature Control Systems



Pressure Reducing Stations (PRS)

Consist of Pressure reducing valve, piston valve, pressure gauge, moisture separator, safety valve, strainers, PC01



Piston Valves

- Zero leakage assured
- Maintenance free
- Asbestos free

Steam Flow Metering





Forbes Marshall in the Process Industry

Your "Trusted partner in Steam Engineering & Energy Conservation solutions"


Widest range of Process Trapping Solutions

Ball Float Steam Traps


- Best traps for process applications
- Continuous discharge of condensate
- Available with integral air vent and steam lock release
- Savings of 5% over other intermittent discharge traps



Compact Steam Trapping Station - PCO1




CONVENTIONAL STEAM TRAP STATION



Estimated weight : 10 kg

COMPACT STEAM TRAPPING STATION



*Specialists in Process Efficiency
and Energy Conservation*



Your "Trusted partner in Steam Engineering & Energy Conservation solutions"



Spirax Pressure Reducing Valve
 Model: DP23, Range: 0.2 to 17 bar, G
 Pilot Operating for Steam Line




ARCA Pressure Reducing Valve 4 inch
 (100 NB) 12350 2350
 Model ARCA Robotor
 Pneumatic Operated
 Input Pressu : 8.5-9 bar
 Output Pressure : 5-6 bar
 Flowrate : 6500 kg/hr



Ball Float Steam Trap with SLR




Spirax Moisture Separator 3 inch (80 NB) 4 260 1040
 Body- Cast Iron- IS 210 Gr. FG260
 Baffle Plate - Cast Iron -ISO 210 Gr. FG260
 Ends: Flanged AS 150



Steam Pressure Reducing Station

TOMOE®

**BUTTERFLY VALVES
THE BEST ORIGINAL**



JAPAN
Tomoe Valve Co.,Ltd.

M/S Asgar Trading

 www.asgartrading.com

25



BUTTERFLY VALVES THE BEST ORIGINAL

RUBBER SEATED FOR INDUSTRIAL APPLICATIONS

NAV 773Z

Revolutionary super light weight aluminum diecast body butterfly valve

Nominal Size:
40mm to 300mm

Max. Working Pressure:
1.0MPa

Temperature:
-20 to 120 deg. C



700G

An ultimate general purpose butterfly valves with excellent cost performance. Designed to ISO 5752, 5211, API 609, BS5155 with various body, disc and seat materials. Cosine-curve seat design provides low/adjustable torque ensuring long life and compact actuators.

Nominal Size:
40mm to 300mm

Max. Working Pressure:
1.0 to 1.6MPa

Temperature:
-20 to 120 deg. C



731P/732P

Reliable bubble tight concentric design 2.0MPa rating butterfly valves with rubber seat reinforced by metallic core. Suitable for vacuum to high pressure, high velocity service.

Nominal Size:
50mm to 300mm

Max. Working Pressure:
2.0MPa

Temperature:
-20 to 120 deg. C



Revolutionary super light weight aluminum diecast body butterfly valve

773Z_{Water}

779Z_{Water}



JAPAN
Tomoe Valve Co.,Ltd.



PRESSURE REDUCING VALVE

Product List
1. Safety Relief Valve. 2. Pressure Reducing Valve.
3. Pressure Regulating Valve. 4. Steam Trap.
5. Control Valve. 6. Y-Strainer. 7. ETC- Globe Valve/Angle
Valve-Sight Glass/Sight Check-Air Vent/Air Trap-
Hydraulic Actuator Valve





DKT.M.I INTERNATIONAL Co., Ltd.



Madas[®]

Safety, Filtration and Regulation Devices for GAS, ARIA, OIL, HEAVY OIL



M/S Asgar Trading

 www.asgartrading.com

29

Safety, Filtration and Regulation Devices for GAS, ARIA, OIL, HEAVY OIL

Madas[®]

Pressure Reducing Valves



AUTOMATIC SOLENOID VALVE



Gas Filters

gas filters have a large filtering component made of synthetical washable material is fully removable for complete inspection and cleaning.

MADAS filters permits upstream pressure measurement through an appropriate standard connection



FISHER[®]

Pressure Gas Regulator





TLV[®]

A Steam Specialist Company

Pressure Reducing Valves

Control Valve & Air-Drain Trap

Trapping



M/S Asgar Trading

 www.asgartrading.com

33

TLV



TLV



ANIX 埃尼斯

Ball valves Series.

Enterprise Intelligence
And Honor

F. 2. 0. 0. 8



- GB Petroleum
- API Chemical industry
- API 607 Valve gas
- API 607 Low industry
- API 607 Electric power

- API Pharmacy
- API 607 Dyeing
- API 607 Mining
- API 607 Paper industry

- API 607 Lumber Manufacture
- API 607 Iron industry
- API 607 Textile
- API 607 Air industry
- API 607 Construction

- API 607 Refrigeration
- API 607 Water supply



Thread Valve Series
API 607, API 608, API 609, API 610



二片式法兰电球球阀
(WCB, CFB, CF8M, Ti, Ni)
(GB, ANSI, JIS, DIN, BS)
2PC flanged Ball Valve With
Electric Actuator
Q41F-(6-64)C, P, R, Ti, Ni



二片式法兰蜗轮球阀
2PC Flanged Ball Valve
With Worm Gear



Y型法兰过滤器
(WCB, CFB, CF8M, Ti, Ni)
(GB, ANSI, JIS, DIN, BS)
flanged Y-type Strainer
SY41-(16-64)C, P, R, Ti, Ni






Brass / Bronze Gate, Globe, Non-Return, Y-Strainer, Check Valves (Thread), BSPT, NPT

BRAND & ORIGIN, TOYO, SHOWA, CHINA, TAIWAN, JAPAN





Stainless Steel Flexible Joints, (Grade : SS 304, 316)

STAINLESS STEEL FLEXIBLE AND EXPANSION JOINT

Thermal growth, overloading, metal fatigue, noise, excessive installation time and early maintenance problems can be significantly reduced or avoided with Tozen's flexible connectors and expansion joints.

Stainless Steels : 1.4541, 1.4404, 1.4571

Heat-resistant steels: 1.4828, 1.4878

Available nominal widths and pressure stages :

Nominal width : DN 15- 3400
Pressure stages : PN 1 -16

Available nominal widths and pressure stages :

Flange made of
1.0038, 1.4404, 1.4541, 1.4571, 1.0425, 1.0460
Weld-on ends made of
1.0038, 1.4404, 1.4541, 1.4571, 1.0345, 1.5415
Threaded connections made of
1.0345, EN-6JMW-400-5, 1.4571


Stainless Steel Expansion joint movement Model: SJT1100




Axial Movement



Lateral Movement



Axial Movement



Lateral Movement

Rubber/elastomer flexible connectors are widely used in piping and pumping application in the following industries: Suction and delivery pumping lines for air-conditioning, ventilation system and chilled water installation. Cooling tower and fan coil unit piping lines. Fire fighting and sanitary system. Pollution control system for sewerage and water treatment. Piping systems in general factories. Power generation plant, marine cooling system, ballast lines, pulp and paper industry, etc.



Product	Size (mm)	Length (mm)
Tozenflex (Flange type)	32~400	150~200
Twinflex (Flange type)	32~350	175~325
Twinflex 20 (Flange type)	150~300	175~200
Twinflex (Screwed type)	15~50	120~175



ELECTROMAGNETIC FLOW METER (DIGITAL) , VORTEX FLOW METER (STEAM)



Standard: ASTM, DIN, GB, JIS10k, Available Sizes: 1-1/2" to 16" (Flange Type) Hard Seal.

Brand & Origin: LY, China, Korea.



Y-Strainer Valve, standard JIS10K, DIN, GB, ASTM,

FVC

Standard: JIS 10k, DIN, ASTM, 150 Class.

Materials: Aluminum ,Cast Steel, Gray Cast Iron, Nodular Cast Iron.

Butterfly Valve, Gate Valve(Rising, Non Rising),
Y-Strainer, Swing Check Valve,

